



- 11) Shape : Capsule-type Drum**
- 12) Body Type : HDPE Material**
- 13) 100% Eco-Friendly**
- 14) Harmless To The Environment As Well As to Humanity**
- 15) Powder Type : Dry Powder ABCD (90 Map UL Listed)**
- 16) Approved By : **NTH** Government Of India**
- 17) Tested By : **NABL** Fire Test Accredited Lab**

CERTIFICATES

- 18) NABL ACCREDITED & LAB:- CERTIFICATE**
- 19) NTH- NATIONAL TEST HOUSE- CERTIFICATE**
- 20) QUALITY WARRANTY:2010 :- CERTIFICATE**
- 21) ECO WARRANTY:2010 - CERTIFICATE**
- 22) ISO 9001:2015- CERTIFICATE**
- 23) ISO 14001:2015 :- CERTIFICATE**
- 24) OHSAS :- CERTIFICATE**
- 25) CE 2014/68/EU :- CERTIFICATE**
- 26) CE 2014/30/EU:- CERTIFICATE**
- 27) MSME- UDYAM :- CERTIFICATE**
- 28) TRADE MARK :- CERTIFICATE**
- 29) CSRI:- CERTIFICATE**

THANK YOU.....



FIRE EXTINGUISHER DEVICE

AN INNOVATION THAT DEFENDS YOU AGAINST DANGER

SPECIFICATIONS

- 1) Weight: 1.5 kg**
- 2) Loud Noise : 90/120**
- 3) Multiple Sensor: 10 Sensor 3 Way**
- 4) Warranty : 5 Years**
- 5) Device Activating Chip Is At The Center Of The Device**
- 6) Water Dust Proof : ISO Certified**
- 7) CSRI Certified**
- 8) Activation Time : 3 To 10 Seconds**
- 9) Coverage Area: 4 Cubic Meters**
- 10) Diameter (mm) : w 116/195 h**



TERMINATE
FIRE SAFETY SOLUTION

TERMINATE FIRE SAFETY SOLUTION PVT.LTD

TERMINATE DEVICE SPECIFICATIONS



www.terminatefire.com

G-Mail:- terminatefire@gmail.com